| POPULATION ESTIMATES -   | <br>I  | LONG-TE  | RM CARE -                        |  | LOCAL HEA   | ALTH DEPARTM            | ENTS                                       |
|--|--|--|----------------------------------|--|---|-------------------------|--|
| Total 2001 Population 15   |  | unity Options<br>aiver Programs  |                                  |  |   |                         | Per<br>10,000                              |
| Population per square mile County ranking in state ( 1-7   | 360 i  | Cl <sup>-</sup><br>aiver *   |                                  | Costs  | Staffing - FTE Total staff  | Number<br>65            | Population                                 |
| 0-14   | Total   MA Wa<br>30,980   CIP<br>12,280   CIP                | aiver *<br>1A<br>1B  | 33<br>182                        | \$2,402,644  <br>\$6,799,474                               | Total staff Administrative Professional sta Technical/Parapro Support staff | ff 30<br>of. 9<br>17    | 1.9<br>0.6<br>1.2                          |
| 25-29  | 12,970   CIP<br>10,410   COP<br>11,190   CSL<br>13,260   Bra | aiver *<br>1A<br>1B<br>2<br>-W<br>A<br>in Injury<br>l COP/Wvrs                             | 298<br>63<br>8                   | \$1,596,859  <br>\$2,084,854  <br>\$583,738  <br>\$338,657 | Funding<br>Total<br>Local Taxes   |                         |  |
| j 45-54 10,210 10,770 2  |  |  |                                  |  | LICENSED  |                         |  |
| 65-74  | 9,930   were 7,040   usii                                    | 928,705 of the<br>e paid as loca<br>ng COP funds.<br>included in a                         | al match/o<br>This amo           | aiver costs  overmatch   ount is   costs.                  | Type Bed & Breakfast Camps Hotels, Motels Tourist Rooming Pools             | Capacity<br>10<br>1,866 | Facilities<br>3<br>16                      |
| <br>  Age  | j * Wa   | aiver costs re<br>clude federal<br>Cl  | funding.                         | ere  <br> <br> <br> <br>  Costs                            | Tourist Rooming Pools Restaurants Vending                                   | 13                      | 4<br>99<br>554<br>14                       |
| 45-64 16,810 17,090 3  | 33,910   Elig<br>19,790   Wai<br>57,840                      | ible and<br>ting   | 111                              | n/a  | Ç   | ADTICIDANTS             |  |
| Poverty Estimates for 2000   |  | ily care not p   | provided i                       | 1  | WIC P/  |                         |  |
| Estimate (C.I   All ages   10,479   6.7% (   | 495   Note<br>(5%)   wi<br>218   Wa<br>(8%)                  | : Eligible and<br>ll be phased i<br>ivers as avail   | H waiting<br>into the (<br>able. | clients  <br>COP and MA  <br>                              | Pregnant/Postpar<br>Infants<br>Children, age 1-4<br>Total                   | tum<br>4                | Number<br>1,132<br>1,247<br>1,533<br>3,912 |
| EMPLOYMENT   |  |  |                                  | _  | CANCE   | R INCIDENCE             |  |
| EMPLOYMENT<br> Average wage for jobs covered<br> by unemployment compensation \$3<br> Note: based on place of work | anniiai i  |  |                                  |  | Primary Site<br>Breast  |                         | 1999<br>Number<br>132                      |
| Labor Force Estimates Av  Civilian Labor Force 9 Number employed 9 Number unemployed Unemployment rate             | verage   Nurs  | ing Homes<br>ensed beds<br>upancy rate<br>idents on Dec<br>idents age 65<br>r 1,000 popula | .31<br>or older<br>ation         | 10  <br>1,154  <br>89.8%  <br>1,048  <br>50                | Cervical Colorectal Trachea, Bronchus Prostate Other sites Total            | s, Lung                 | 58<br>112                                  |
| 1  |  |  |                                  | <br>   |   |                         |  |

|   |  |  | NATA   | LITY                                  |  |   |  |   |
|---|--|--|--|---------------------------------------|--|---|--|---|
| TOTAL LIVE BIRTHS   |  | 1,851  | Birth Order  |                                       |  | Marital Status  |  |   |
|   |  | ,  |  |                                       |  | of Mother   | Births   | Percent   |
| Crude Live Birth Rate   | ے  | 11.7   | First<br>Second<br>Third<br>Fourth or higher<br>Unknown  | 734<br>631                            | 34   | Married   | 1 405  | 76  |
| General Fertility Rat   | te   | 52.0   | Third  | 324                                   | 18   | Not married   | 446  | 24  |
| I delicitat referency kat   |  | 32.0   | Fourth or higher   | 167                                   | 9  | Unknown   | 9  |   |
| <br>  live hirths with rend   | artad  |  | Ilnknown   | 102                                   | 9  | OHRHOWH   | U  | U   |
| Live births with repo   | Ji Leu<br>1  | 1/1 7 /10/   | UIIKIIOWII   | U                                     | U  | Education   |  |   |
| Congenital anomaties  | 4  | 14 2.4/0   | First Dranatal   |                                       |  |   | Dirtha   | Dorcont   |
| Delivery Tyre   | Dintha   | Danasat  | First Prenatal<br>Visit  | Dintha                                | Danasat  |   | Births   |   |
| Delivery Type   |  |  | Visit  | Births                                | Percent  | Elementary or les   | 32   | 2   |
| Vaginal after   |  | _  | 1st trimester  | 1,58/                                 | 86   | Some nigh school  | 190  | 10  |
| previous cesarean   | 38   | 2  | 2nd trimester  | 233                                   | 13   | High school   | 595  | 32  |
| Forceps   | 40   | 2  | 3rd trimester  | 26                                    | 1  | Some college  | 459  | 25  |
| Other vaginal   | 1,418  | 77   | 2nd trimester<br>3rd trimester<br>No visits<br>Unknown   | 5                                     | < . 5  | Some high school High school Some college College graduate Unknown  | 574  | 31  |
| Primary cesarean  | 222  | 12   | Unknown  | Θ                                     | Θ  | Unknown   | 1  | < . 5   |
| Repeat cesarean   | 133  | 7  |  |                                       |  |   |  |   |
| Vaginal after<br>  previous cesarean<br>  Forceps<br>  Other vaginal<br>  Primary cesarean<br>  Repeat cesarean<br>  Other or unknown | 0  | Θ  | Number of Prenatal   |                                       |  | Smoking Status  |  |   |
|   | -  | -  | Care visits  | Rirths                                | Percent  | of Mother   | Births   | Percent   |
| Birthweight   | Births   | Percent  | No visits<br>1-4<br>5-9  | 5                                     | <.5  | Smoker  | 324  | 18  |
| 1 <1 500 gm   | 74   | 1 3  | 1 - 4  | 27                                    | 1  | Smoker<br>Nonsmoker<br>Unknown  | 1 527  | 82  |
| 1 1 500 5 m   | 167  | 5 5  | 5_9  | 305                                   | 16   | Unknown   | 1,527  | 0   |
| 1 7 500-2,433 giii  | 1 725  | 2.5  | 10-12  | 91 <i>1</i>                           | 44   | OHRHOWH   | U  | U   |
| <1,500 gm<br>  1,500-2,499 gm<br>  2,500+ gm<br>  Unknown   | 1,723  | 93.2   | 13+  | 814<br>700                            | 38   |   |  |   |
| Ulikilowii  | U  | U  | Unknown  | 0                                     | 30<br>0  |   |  |   |
|   |  |  | UHKHOWH  | (*)                                   | (*)  |   |  |   |
| i   |  |  |  | J                                     | •  |   |  |   |
| <br>  |  |  |  |                                       | •  |   |  | 1   |
|   |  |  |  |                                       | •  | er of First Prenatal  | <br>Visit                                      |   |
|   |  |  |  |                                       | •  | er of First Prenatal  | <br>. Visit<br>. Other/                        |   |
|   | Rirths F   | Percent  |  |                                       | •  | er of First Prenatal<br>2nd Trimester<br>Births Percent   |  | Unknown   |
| <br> <br> <br>  Race of Mother  | Births F   | Percent  |  |                                       | •  | er of First Prenatal<br>2nd Trimester<br>Births Percent   | Visit<br>Other/<br>Births                      | <br>Unknown<br>Percent                            |
| <br> <br>  Race of Mother<br>  White  | Births F<br>1,744  | Percent<br>94  |  |                                       | •  | er of First Prenatal<br>2nd Trimester<br>Births Percent<br>195 11   | Visit<br>Other/<br>Births<br>25                | Unknown Percent                                   |
| <br>  | Births F<br>1,744<br>17  | Percent<br>94<br>1                                   | Low Birthweight (under 2,500 gm) Births Percent 119 6.8 3 17.6   |                                       | •  | er of First Prenatal<br>2nd Trimester<br>Births Percent<br>195 11<br>4 24   | Visit<br>Other/<br>Births<br>25                | Unknown Percent 1 6                               |
| <br>  Race of Mother<br>  White<br>  Black  | Births F<br>1,744<br>17  | Percent<br>94<br>1                                   | Low Birthweight (under 2,500 gm) Births Percent 119 6.8 3 17.6 4 4.4   | 1st Tr<br>Births<br>1,524<br>12<br>51 | Trimest<br>imester<br>Percent<br>87<br>71<br>57                          | er of First Prenatal<br>2nd Trimester<br>Births Percent<br>195 11<br>4 24<br>34 38  | Visit<br>Other/<br>Births<br>25<br>1           | Unknown Percent 1 6                               |
| <br>  Race of Mother<br>  White<br>  Black  | Births F<br>1,744<br>17  | Percent<br>94<br>1<br>5<br>0                         | Low Birthweight (under 2,500 gm) Births Percent 119 6.8 3 17.6 4 4.4   | 1st Tr<br>Births<br>1,524<br>12<br>51 | Trimest<br>imester<br>Percent<br>87<br>71<br>57                          | er of First Prenatal<br>2nd Trimester<br>Births Percent<br>195 11<br>4 24<br>34 38  | •  | •   |
| Race of Mother White Black Other  | Births F<br>1,744<br>17  | Percent<br>94<br>1<br>5<br>0                         | Low Birthweight (under 2,500 gm) Births Percent 119 6.8 3 17.6 4 4.4   | 1st Tr<br>Births<br>1,524<br>12<br>51 | Trimest<br>imester<br>Percent<br>87<br>71<br>57                          | er of First Prenatal<br>2nd Trimester<br>Births Percent<br>195 11<br>4 24<br>34 38  | •  | •   |
| <br>  | Births F<br>1,744<br>17<br>90<br>0   | Percent<br>94<br>1<br>5<br>0                         | Low Birthweight (under 2,500 gm) Births Percent 119 6.8 3 17.6 4 4.4   | 1st Tr<br>Births<br>1,524<br>12<br>51 | Trimest<br>imester<br>Percent<br>87<br>71<br>57                          | er of First Prenatal<br>2nd Trimester<br>Births Percent<br>195 11<br>4 24<br>34 38  | •  | •   |
| Race of Mother White Black Other Unknown  | Births F<br>1,744<br>17<br>90<br>0   | Percent<br>94<br>1<br>5<br>0                         | Low Birthweight (under 2,500 gm) Births Percent 119 6.8 3 17.6 4 4.4   | 1st Tr<br>Births<br>1,524<br>12<br>51 | Trimest<br>imester<br>Percent<br>87<br>71<br>57                          | er of First Prenatal<br>2nd Trimester<br>Births Percent<br>195 11<br>4 24<br>34 38  | •  | •   |
| Race of Mother White Black Other Unknown  | Births F<br>1,744<br>17<br>90<br>0<br>Fe<br>Births   | Percent 94 1 5 0 ertility Rate                       | Low Birthweight (under 2,500 gm) Births Percent 119 6.8 3 17.6 4 4.4   | 1st Tr<br>Births<br>1,524<br>12<br>51 | Trimest<br>imester<br>Percent<br>87<br>71<br>57                          | er of First Prenatal<br>2nd Trimester<br>Births Percent<br>195 11<br>4 24<br>34 38  | •  | •   |
| Race of Mother White Black Other Unknown  | Births F<br>1,744<br>17<br>90<br>0<br><br>Fe<br>Births   | Percent 94 1 5 0 ertility Rate                       | Low Birthweight (under 2,500 gm) Births Percent 119 6.8 3 17.6 4 4.4 Low Birthweight (under 2,500 gm) Births Percent   | 1st Tr<br>Births<br>1,524<br>12<br>51 | Trimest imester Percent 87 71 57 . Trimest imester Percent               | er of First Prenatal 2nd Trimester Births Percent 195 11 4 24 34 38 er of First Prenatal 2nd Trimester Births Percent                                   | Visit<br>Other/<br>Births                      | Unknown<br>Percent                                |
| Race of Mother White Black Other Unknown Age of Mother <15 15-17  | Births F<br>1,744<br>17<br>90<br>0<br><br>Fe<br>Births   | Percent 94 1 5 0 ertility Rate                       | Low Birthweight (under 2,500 gm) Births Percent 119 6.8 3 17.6 4 4.4 Low Birthweight (under 2,500 gm) Births Percent   | 1st Tr<br>Births<br>1,524<br>12<br>51 | Trimest imester Percent 87 71 57 . Trimest imester Percent . 53          | er of First Prenatal 2nd Trimester Births Percent 195 11 4 24 34 38 er of First Prenatal 2nd Trimester Births Percent 10 29                             | Visit<br>Other/<br>Births                      | Unknown<br>Percent                                |
| Race of Mother White Black Other Unknown  | Births F<br>1,744<br>17<br>90<br>0<br><br>Fe<br>Births   | Percent 94 1 5 0 ertility Rate                       | Low Birthweight (under 2,500 gm) Births Percent 119 6.8 3 17.6 4 4.4 Low Birthweight (under 2,500 gm) Births Percent   | 1st Tr<br>Births<br>1,524<br>12<br>51 | Trimest imester Percent 87 71 57 . Trimest imester Percent . 53 63       | er of First Prenatal 2nd Trimester Births Percent 195 11 4 24 34 38 er of First Prenatal 2nd Trimester Births Percent 10 29 36 34                       | Visit<br>Other/<br>Births<br>6                 | Unknown<br>Percent<br>18<br>4                     |
| Race of Mother White Black Other Unknown  | Births F<br>1,744<br>17<br>90<br>0<br><br>Fe<br>Births   | Percent 94 1 5 0 ertility Rate                       | Low Birthweight (under 2,500 gm) Births Percent 119 6.8 3 17.6 4 4.4 Low Birthweight (under 2,500 gm) Births Percent   | 1st Tr<br>Births<br>1,524<br>12<br>51 | Trimest imester Percent 87 71 57 . Trimest imester Percent . 53 63 79    | er of First Prenatal 2nd Trimester Births Percent 195 11 4 24 34 38 er of First Prenatal 2nd Trimester Births Percent 10 29 36 34                       | Visit<br>Other/<br>Births<br>6<br>4            | Unknown<br>Percent<br>18<br>4                     |
| Race of Mother White Black Other Unknown  | Births F<br>1,744<br>17<br>90<br>0<br><br>Fe<br>Births<br>0<br>34<br>107<br>427<br>520               | Percent 94 1 5 0 ertility Rate 10 37 67              | Low Birthweight (under 2,500 gm) Births Percent 119 6.8 3 17.6 4 4.4  Low Birthweight (under 2,500 gm) Births Percent . 6 17.6 5 4.7 29 6.8 41 7.9                       | 1st Tr<br>Births<br>1,524<br>12<br>51 | Trimest imester Percent 87 71 57 . Trimest imester Percent . 53 63 79 91 | er of First Prenatal 2nd Trimester Births Percent 195 11 4 24 34 38 er of First Prenatal 2nd Trimester Births Percent 10 29 36 34 79 19 41 8            | Visit<br>Other/<br>Births<br>6<br>4<br>11      | Unknown<br>Percent<br>18<br>4<br>3                |
| Race of Mother White Black Other Unknown  | Births F<br>1,744<br>17<br>90<br>0<br><br>Fe<br>Births   | Percent 94 1 5 0 ertility Rate 10 37 67              | Low Birthweight (under 2,500 gm) Births Percent 119 6.8 3 17.6 4 4.4  Low Birthweight (under 2,500 gm) Births Percent . 6 17.6 5 4.7 29 6.8 41 7.9                       | 1st Tr<br>Births<br>1,524<br>12<br>51 | Trimest imester Percent 87 71 57 . Trimest imester Percent . 53 63 79 91 | er of First Prenatal 2nd Trimester Births Percent 195 11 4 24 34 38 er of First Prenatal 2nd Trimester Births Percent 10 29 36 34 79 19 41 8            | Visit<br>Other/<br>Births<br>6<br>4<br>11<br>4 | Unknown<br>Percent<br>18<br>4                     |
| Race of Mother White Black Other Unknown  | Births F<br>1,744<br>17<br>90<br>0<br><br>Births<br>0<br>34<br>107<br>427<br>520<br>535              | Percent 94 1 5 0 ertility Rate 10 37 67              | Low Birthweight (under 2,500 gm) Births Percent 119 6.8 3 17.6 4 4.4  Low Birthweight (under 2,500 gm) Births Percent . 6 17.6 5 4.7 29 6.8 41 7.9                       | 1st Tr<br>Births<br>1,524<br>12<br>51 | Trimestimester Percent 87 71 57 Trimestimester Percent 53 63 79 91 91 87 | er of First Prenatal 2nd Trimester Births Percent 195 11 4 24 34 38 er of First Prenatal 2nd Trimester Births Percent 10 29 36 34 79 19 41 8 41 8 25 13 | Visit<br>Other/<br>Births<br>6<br>4<br>11      | Unknown<br>Percent<br>18<br>4<br>3                |
| Race of Mother White Black Other Unknown  | Births F<br>1,744<br>17<br>90<br>0<br><br>Births<br>0<br>34<br>107<br>427<br>520<br>535<br>199       | Percent 94 1 5 0 ertility Rate 10 37 67              | Low Birthweight (under 2,500 gm) Births Percent 119 6.8 3 17.6 4 4.4  Low Birthweight (under 2,500 gm) Births Percent . 6 17.6 5 4.7 29 6.8 41 7.9                       | 1st Tr<br>Births<br>1,524<br>12<br>51 | Trimestimester Percent 87 71 57 Trimestimester Percent 53 63 79 91 91 87 | er of First Prenatal 2nd Trimester Births Percent 195 11 4 24 34 38 er of First Prenatal 2nd Trimester Births Percent 10 29 36 34 79 19 41 8 41 8 25 13 | Visit<br>Other/<br>Births<br>6<br>4<br>11<br>4 | Unknown<br>Percent<br>18<br>4<br>3<br>1           |
| Race of Mother White Black Other Unknown  | Births F<br>1,744<br>17<br>90<br>0<br><br>Births<br>0<br>34<br>107<br>427<br>520<br>535              | Percent 94 1 5 0 ertility Rate 10 37 67              | Low Birthweight (under 2,500 gm) Births Percent 119 6.8 3 17.6 4 4.4  Low Birthweight (under 2,500 gm) Births Percent . 6 17.6 5 4.7 29 6.8 41 7.9 35 6.5                | 1st Tr<br>Births<br>1,524<br>12<br>51 | Trimest imester Percent 87 71 57 . Trimest imester Percent . 53 63 79 91 | er of First Prenatal 2nd Trimester Births Percent 195 11 4 24 34 38 er of First Prenatal 2nd Trimester Births Percent 10 29 36 34 79 19 41 8 41 8 25 13 | Visit<br>Other/<br>Births<br>6<br>4<br>11<br>4 | Unknown<br>Percent<br>18<br>4<br>3<br>1           |
| Race of Mother White Black Other Unknown  | Births F<br>1,744<br>17<br>90<br>0<br><br>Births<br>0<br>34<br>107<br>427<br>520<br>535<br>199<br>29 | Percent 94 1 5 0 ertility Rate 10 37 67 107 100 31 5 | Low Birthweight (under 2,500 gm) Births Percent 119 6.8 3 17.6 4 4.4  Low Birthweight (under 2,500 gm) Births Percent . 6 17.6 5 4.7 29 6.8 41 7.9                       | 1st Tr<br>Births<br>1,524<br>12<br>51 | Trimestimester Percent 87 71 57 Trimestimester Percent 53 63 79 91 91 87 | er of First Prenatal 2nd Trimester Births Percent 195 11 4 24 34 38 er of First Prenatal 2nd Trimester Births Percent 10 29 36 34 79 19 41 8 41 8 25 13 | Visit<br>Other/<br>Births<br>6<br>4<br>11<br>4 | Unknown<br>Percent<br>18<br>4<br>3<br>1           |
| Race of Mother White Black Other Unknown  | Births F<br>1,744<br>17<br>90<br>0<br><br>Births<br>0<br>34<br>107<br>427<br>520<br>535<br>199<br>29 | Percent 94 1 5 0 ertility Rate 10 37 67 107 100 31 5 | Low Birthweight (under 2,500 gm) Births Percent 119 6.8 3 17.6 4 4.4  Low Birthweight (under 2,500 gm) Births Percent . 6 17.6 5 4.7 29 6.8 41 7.9 35 6.5 7 3.5 3 10.3 . | 1st Tr<br>Births<br>1,524<br>12<br>51 | Trimest mester Percent 87 71 57  | er of First Prenatal 2nd Trimester Births Percent 195 11 4 24 34 38 er of First Prenatal 2nd Trimester Births Percent 10 29 36 34 79 19 41 8 41 8 25 13 | Visit Other/ Births . 6 4 11 4 5 1             | Unknown<br>Percent<br>18<br>4<br>3<br>1<br>1<br>1 |

| MORBIDITY                            |   |                | MO F        | RTALITY   |               |          |
|--------------------------------------|---|----------------|-------------|---|---------------|----------|
|                                      | Note: Death rates   | except ir      | nfant) are  | per 100,000 population.                                   | Infant,       | 1        |
|                                      | i neonatal, and   | postneor       | natal death | rates are per 1,000 liv                                   | e births.     | į        |
| REPORTED* CASES OF SELECTED DISEASES | i Perinatal and   | d fetal de     | eath rates  | are per 1,000 live birth                                  | ıs plus       | į        |
|                                      | i fetal deaths.   | Rates a        | are not cal | culated for fewer than 2                                  | 20 deaths.    | į        |
|                                      | İ   |                |             |   |               | i        |
| Disease Number                       | TOTAL DEATHS  |                | 1,270       | Selected  |               | İ        |
| Campylobacter Enteritis 36           | TOTAL DEATHS<br>  Crude Death Ra                                    | ate            | 803         | Underlying Cause  | Deaths        | Rate İ   |
| Giardiasis 27                        | İ   |                |             | Heart Disease (total)                                     | 337           | 213 İ    |
| Hepatitis Type A <5                  | i   |                |             | Ischemic heart diseas                                     | se 208        | 132 i    |
| Hepatitis Type B** 10                | i Age   | Deaths         | Rate        | Cancer (total)  | 306           | 194 i    |
| Hepatitis NANB/C 47                  | i 1-4   | 1              |             | Trachea/Bronchus/Lung                                     |               | 57 İ     |
| Legionnaire's <5                     | j 5-14  | 3<br>6         |             | i Coloroctol  | `             | 23 i     |
| Lyme <5                              | i 15-19   | 6              |             | Female Breast   | 22            | 28* İ    |
| Measles 0                            | i 20-34   | 17             |             | Cerebrovascular Diseas                                    |               | 60 i     |
| i Meningitis. Aseptic <5             | 35-54   | 90             | 190         | Lower Resp. Disease                                       | 52            | 33       |
| Meningitis, Bacterial 0              | j 55-64   | 101            | 781         | Lower Resp. Disease<br>  Pneumonia & Influenza            | 28            | 18 i     |
| Mumps 0                              | i 65-74   | 217            | 2.185       | Accidents   | 37            | 23 İ     |
| i Pertussis <5                       | j 75-84   | 375            | 5,323       | Motor vehicle   | 13            | . i      |
| Salmonellosis 81                     | j 85+   | 447            | 15,833      | Diabetes  | 38            | 24 j     |
| Shigellosis 5                        | İ   |                |             | Infectious & Parasition                                   | 13            | . İ      |
| Tuberculosis <5                      |   |                |             | Suicide   | 17            |          |
|                                      | İ Infant  |                |             |   |               |          |
| * 2001 provisional data              | Mortality   | Deaths         | Rate        | <pre>  * Rate for female brea</pre>                       |               | pased    |
| ** Includes all positive HBsAg       | Total Infant  | 13             | •           | j on female popula  | ation.        |          |
| test results                         | Neonatal  | 7              |             |   |               |          |
|                                      | Mortality Total Infant Neonatal Postneonatal                        | 6              |             | ALCOHOL AND DRUG ABUSE                                    |               |          |
|                                      | ! Unknown   | •              | •           | OR CONTRIBUTING CAL                                       | JSE OF DEATI  | 4 ļ      |
| Sexually Transmitted Disease         | !   |                |             | ļ <u></u>   | 4.0           | ļ        |
| Chlamydia Trachomatis 215            | Race of Mother  | 1.5            |             | Alcohol<br>  Other Drugs<br>  Both Mentioned              | 10            | . !      |
| Genital Herpes 74                    | White   | 12             | •           | Other Drugs   | 6<br>1        | . !      |
| Gonorrhea 37                         | Black   | :              | •           | Both Mentioned  | 1             | .        |
| Syphilis 0                           | 0ther   | 1              | •           | MOTOR VEHICL  | E CDACHEC     | ļ        |
|                                      | Unknown   | •              | •           | MOTOR VEHICL  | LE CRASHES    |          |
|                                      | l<br>  Birthweight  |                |             | I<br>  Note: These data are                               | hased on 1    | ocation  |
| IMMUNIZATIONS                        |   | 1              |             | of crash, not of  |               |          |
| ITHIONIZATIONS                       | <pre>  &lt;1,500 gm<br/>  1,500-2,499 gm<br/>  2,500-2,700 gm</pre> | 1              | •           | 1   | on restuction | ٠٠       |
| Children in Grades K-12 by           | 1,500 2,455 gm  | 8              | •           | I<br>I Type of Motor                                      | Persons Pa    | ersons l |
| Compliance Level                     | 2,500+ gm<br>Unknown  |                |             | Vehicle Crash   | Injured I     | (illed   |
| Compliant 27 286                     | I STIKITOWN   | •              | •           | Total Crashes   | 1 792         | 10       |
| Compliant 27,286 Non-compliant 175   | i   |                |             | Type of Motor Vehicle Crash Total Crashes Alcohol-Related | 191           | 2        |
| Percent Compliant 99.4               | l<br>  Perinatal  |                |             | With Citation:  | 171           | -        |
|                                      | I Mortality   | Deaths         | Rate        | i For OWI   | 20            | Θİ       |
|                                      | Total Perinatal   | 12             |             | For Speeding  | 38            | οί       |
|                                      | l Neonatal  | - <del>-</del> |             | Motorcyclist  | 66            | 1 İ      |
| j                                    | Total Perinatal Neonatal Fetal                                      | 5              |             | For OWI<br>For Speeding<br>Motorcyclist<br>Bicyclist      | 57            | 0 j      |
|                                      | İ   |                |             | Pedestrian  |               | ō į      |
|                                      |   |                |             |   |               |          |

|                       |                    |                  |                    | HOSPITA     | ALIZATIONS                          |            |         |           |            |               |
|-----------------------|--------------------|------------------|--------------------|-------------|-------------------------------------|------------|---------|-----------|------------|---------------|
| 1                     | Per                | Average          |                    | Charge      | I                                   |            | Per     | Average   |            | Charge        |
| DISEASE /             | 1,00               | า Stav           | Average            | Per         | DISFASE /                           |            | 1,000   | Stay      | Average    |               |
| •                     | ber Pop            |                  | Charge             | Canita      | <br>  DISEASE /<br>  AGE GROUP      | Number     |         |           | Charge     | Capita        |
| I AGE GROOT Nam       | вст тор            | (Days)           | Char &c            | Сартса      | i var akon                          | Number     | ТОР     | (Days)    | Char &C    | Capita        |
| I Injury Dolated, All |                    |                  |                    |             | ı<br>  Alcohol-Related              | 4          |         |           |            |               |
| Injury-Related: All   | 212 7              | 7 1 7            | ¢12 27C            | ¢0F         |                                     |            | 2.6     | 2 7       | ¢3 7F1     | ¢ 7           |
| Total 1,              | 213 7.             | 4./              | \$12,376           | \$95        | Total                               | 411        | 2.6     |           | \$2,751    | \$7           |
| 1 <18                 | 102 2.             | / 3.9            | \$10,890           | \$30        | 18-44                               | 238        | 3.6     |           | \$2,379    | \$9           |
| 18-44<br>45-64        | 301 4.             | 5 4.1            | \$13,053           | \$59        | 45-64                               | 149        | 4.4     | 3.5       | \$3,171    | \$14          |
| 45-64                 | 298 8.             | 8 4.5            | \$12,848           | \$113       | Pneumonia and 1                     | Influenza  |         |           |            |               |
|                       | 512 25.            | 9 5.2            | \$11,999           | \$310       | Total                               | 526        | 3.3     | 4.6       | \$7,894    | \$26          |
| Injury: Hip Fract     | ure                |                  |                    |             | i <18                               | 68         | 1.8     | 3.2       | \$4,730    | \$9           |
|                       | 163 1.             | 9 5.9            | \$13,495           | \$14        | <18<br>  45-64<br>  65+             | 86         | 2.5     | 4.5       | \$8,940    | \$23          |
|                       | 145 7.             |                  | \$13,593           | \$100       | 65+                                 | 333        | 16.8    |           | \$8,486    | \$143         |
| Injury: Poisoning     |                    | 0.0              | <b>413</b> ,333    | 4100        | Cerebrovascula                      |            | 20.0    | 3.1       | 40, .00    | 41.5          |
| Total                 | <sup>3</sup> 78 0. | 5 1.5            | \$3,882            | \$2         | Total                               | 402        | 2.5     | 1 1       | \$10,731   | \$27          |
| 18-44                 | 48 0.              |                  |                    | \$3         | 1 45-64                             | 71         | 2.1     |           | \$12,992   | \$27<br>\$27  |
| 10-44                 | 40 0.              | / 1.4            | \$3,03/            | <b>\$</b> 5 |                                     |            |         |           |            |               |
| l Barriera            |                    |                  |                    |             | 65+                                 | 319        | 16.1    |           | \$9,846    | \$159         |
| Psychiatric           |                    |                  |                    |             | Chronic Obstruc                     |            | onary_L | Disease   |            |               |
| j Total 1,            | 107 7.             |                  | \$4,955            | \$35        | Total                               | 243        | 1.5     | 4.0       | \$6,777    | \$10          |
| <18                   | 217 5.             | 9.3              | \$6,035            | \$35        |                                     | 24         | 0.6     | 2.0       | \$2,684    | \$2           |
| 18-44                 | 554 8.             | 3 6.1            | \$4,298            | \$36        | 18-44                               | 25         | 0.4     |           | \$4,561    | \$2           |
| 18-44<br>45-64        | 231 6.             | 3 7.3            | \$5,252            | \$36        | i 45-64                             | 66         | 1.9     | 4.0       | \$7,459    | \$15          |
| 65+                   | 105 5.             | 3 6.6            | \$5,530            | \$29        | 65+                                 | 128        | 6.5     | 4.5       | \$7,626    | \$49          |
|                       |                    |                  | 45,555             | 4-5         | Drug-Related                        |            | 0.5     |           | 4.,020     | 4.5           |
| Coronary Heart Dise   | 256                |                  |                    |             | Total                               | 83         | 0.5     | 8.0       | \$4,951    | \$3           |
|                       | 668 4.             | ) ) [            | \$19,575           | \$83        | 18-44                               | 56         | 0.8     |           | \$2,937    | \$2           |
|                       | 246 7.             | 2 3.3            | \$20,362           | \$148       | 10-44                               | 30         | 0.0     | 3.1       | \$2,337    | ₽∠            |
|                       |                    |                  |                    |             | <br>  Total   asmital               |            |         |           |            |               |
| 65+                   | 386 19.            | 5 3.9            | \$19,275           | \$376       | Total Hospital                      | izations   | 100 3   |           | 40.204     | <b>*</b> 0.44 |
| !                     |                    |                  |                    |             | Total                               | 15,842     | 100.2   | 4.1       |            | \$841         |
| Malignant Neoplasms   |                    |                  |                    |             | <18                                 | 2,941      | 78.2    |           | \$4,254    | \$333         |
| Total                 | 637 4.             | 9 5.9            | \$16,145           | \$65        | 18-44                               | 4,264      | 64.1    | 3.3       | \$5,824    | \$373         |
| 18-44                 | 55 0.              | 8 6.1            | \$20,711           | \$17        | 45-64                               | 2,950      | 87.0    |           | \$11,460   | \$997         |
| 18-44<br>45-64        | 201 5.             | 9 5.5            | \$15,381           | \$91        | 18-44<br>  45-64<br>  65+           | 5,687      | 287.3   | 4.9       | \$10,870   | \$3,122       |
| 65+                   | 368 18.            | 6.0              | \$14,934           | \$278       | İ                                   | •          |         |           |            | • •           |
| Neoplasms: Female     |                    |                  |                    |             | PR                                  | REVENTARIF | HOSPIT  | TALI7ATTO | ONS*       |               |
| Total                 | 53 0.              |                  | \$8,074            | \$5         | Total                               | 1,826      | 11.6    | 4.2       | \$7,367    | \$85          |
| Neoplasms: Colo-r     |                    | . 1.3            | ¥0,0/ <del>T</del> | 45          | 1 <18                               | 706        | 5.5     | 2.6       | \$4,219    | \$23          |
| Total                 | 87 O.              |                  | \$18,627           | \$10        | <18<br>  <18-44<br>  45-64<br>  65+ | 200        | 3.0     | 3.3       | \$6,493    | \$23<br>\$20  |
|                       | 87 0.<br>65 3.     |                  |                    | Φ.C.1       | 10-44                               | ∠⊍⊍<br>    | 5.0     |           |            |               |
| 65+                   | 65 3.              | 5 8.4            | \$18,667           | \$61        | 45-64                               | 333        | 9.8     | 4.2       | \$8,296    | \$81          |
| Neoplasms: Lung       | 60                 |                  | #4F 433            | * -         | 65+                                 | 1,08/      | 54.9    |           | \$7,840    | \$430         |
| ļ Total               | 63 0.              | 4 6.1            | \$15,432           | \$6         | * Hospitalizations                  |            |         |           |            |               |
|                       |                    |                  |                    |             | ambulatory care ca                  | an reduce  | the lik | kelihood  | of hospit  | talization.   |
| Diabetes              |                    |                  |                    |             | The definition of                   |            |         |           | tions in 2 | 2001          |
| j Total               | 181 1.             | 1 4.2            | \$10,008           | \$11        | is consistent wit                   |            |         |           |            |               |
| 65+                   | 75 3.              | 5.1              | \$9,869            | \$37        | Please refer to th                  | ne note at | the bo  | ottom of  | this page  | e in the      |
|                       |                    | - · <del>-</del> | , - ,              | • -         | 1997 report for a                   |            |         |           |            |               |
| İ                     |                    |                  |                    |             | 1996 and 1997.                      | 0p . aa    |         |           |            |               |
|                       |                    |                  |                    |             | , 1330 a 1337.                      |            |         |           |            |               |